

GUIDE D'ENTRETIEN



EXELTOOLS



FABRICATION FRANÇAISE

GUIDE D'ENTRETIEN DES BARRES ET DES CROCHETS EXELTOOLS

Vous avez choisi la marque Exeltools et nous vous remercions de cette confiance. Afin de préserver vos outils le plus longtemps possible, nous vous donnons quelques conseils d'entretien très simples à suivre.

Les barres et crochets Exeltools sont composés d'acier bondérisé et ont bénéficié du traitement thermique par "brunissage" : procédé similaire à celui utilisé pour les canons de fusils.

Nous vous recommandons de suivre les instructions ci-dessous, pour éliminer notamment les petits pigments qui peuvent apparaître en cas d'utilisation non régulière de vos outils Exeltools.

Accessoires :

- Huile de vaseline (spray ou burette),
- Laine d'acier n°000

Procédure :

- vaporisez ou appliquez l'huile de vaseline, en petite quantité, sur différents points de la partie métallique de l'outil,
- frottez l'ensemble de la zone à traiter avec un petit morceau de laine d'acier n°000,
- essuyez avec un chiffon propre et sec,
- réappliquez de l'huile de vaseline sur la partie métallique de l'outil pour lui donner un aspect brillant et la protéger de l'humidité.

SERVICING GUIDE FOR EXELTOOLS RODS AND HOOKS

You have chosen the Exeltools brand and we thank you for your trust. In order to keep your tools as long as possible, we would like to give you some easy-to-follow servicing advice.

Exeltools rods and hooks are made from bonderized steel and have been subjected to burnishing heat treatment. This is similar to the treatment applied to rifle barrels. We recommend that you follow the instructions below, notably to eliminate small discolouration that can appear due to irregular use of your Exeltools tools.

Accessories:

- Vaseline oil (spray or oil can)
- Steel wool No.000

Procedure:

- spray or apply a small quantity of the Vaseline oil on several metal areas of the tool
- rub the zone to be treated with a small piece of steel wool No. 000
- wipe with a dry and clean cloth
- reapply Vaseline on the metal section of the tool to make it shine and to protect it from the damp.

WWW.EXELTOOLS.COM

éco 
CARROSSERIE

OUTILS EN ALLIAGE 
GARANTIE A VIE

